

RESIDENTIAL INSULATION INSTALLATION, EXISTING ATTIC

CERTIFICATE OF INSTALLATION

CF2R-ENV-03-E (revised)

Insulation Installation

(Page 1 of 1)

Project Name:	Enforcement Agency:	Permit Number:
Dwelling Address:	City	Zip Code

A. ROOF/CEILING INSULATION

01 Manufacturer & Brand	02 Framing Size	03 Insulation Type	04 Cavity Insulation R-value	05 Insulation Depth (inches)	06 Above Deck R-value	07 Below Deck R-value

B. MINIMUM MANDATORY MEASURES

01	Existing Attics shall be insulated to a minimum R-30 insulation.
02	Where the space in the attic will not accommodate R-30, the entire space shall be filled provided such installation does not violate the requirements found in Section 1203.2 of the CBC regarding 1" air space for attic ventilation.
03	Cool Roof Exception: Attics shall be insulated to a minimum of R-38 insulation or R-4 above deck insulation.

C. CEILING/ROOF INSULATION

01	Insulation extends to the outside edge of the exterior top plates and is flush against any ventilation dams/baffles.
02	Insulation is in direct contact with ceiling, so there are no gaps between the ceiling and the insulation.
03	For chimneys and flues, the insulation is in contact with the sheet metal collar.
04	Insulate soffits by adding an air barrier and covering with insulation, or insulate the entire soffit including floor and walls.
05	Knee walls and skylight shafts are insulated to the wall R-value and in full contact with the interior air barrier. If framing on these surfaces is laid flat batt insulation is cut to fit around the framing. Batt insulation is not allowed to be draped over the framing.
06	Attic access doors are insulated to the same R-value as the ceiling. The insulation is permanently attached using adhesive or mechanical fasteners.
07	Attic access must be surrounded with a dam at least the same depth as the insulation to prevent loss of ceiling insulation.
08	Batt insulation is cut to fit around cross bracings and truss webs in the attic.

D. ATTACHED PORCH ROOF INSULATION

01	The exterior insulated wall at the intersection with the porch roof is fully insulated above, below, and behind the roof line.
02	Where truss framing is used, airtight blocking is installed at the top and bottom of each wall/roof section and insulated.

The responsible person's signature on this compliance document affirms that all applicable requirements in this table have been met.

RESPONSIBLE PERSON'S DECLARATION STATEMENT

I certify the following under penalty of perjury, under the laws of the State of California:

- The information provided on this Certificate of Installation is true and correct.
- I am eligible under Division 3 of the Business and Professions Code in the applicable classification to accept responsibility for the system design, construction, or installation of features, materials, components, or manufactured devices for the scope of work identified on this Certificate of Installation, and attest to the declarations in this statement (responsible builder/installer), otherwise I am an authorized representative of the responsible builder/installer.
- The constructed or installed features, materials, components or manufactured devices (the installation) identified on this Certificate of Installation conforms to all applicable codes and regulations, and the installation conforms to the requirements given on the plans and specifications approved by the enforcement agency.
- I reviewed a copy of the Certificate of Compliance approved by the enforcement agency that identifies the specific requirements for the scope of construction or installation identified on this Certificate of Installation, and I have ensured that the requirements that apply to the construction or installation have been met.
- I will ensure that a registered copy of this Certificate of Installation shall be posted, or made available with the building permit(s) issued for the building, and made available to the enforcement agency for all applicable inspections. I understand that a registered copy of this Certificate of Installation is required to be included with the documentation the builder provides to the building owner at occupancy.

Responsible Builder/Installer Name:	Responsible Builder/Installer Signature:		
Company Name: (Installing Subcontractor or General Contractor or Builder/Owner)	Position With Company (Title):		
Address:	CSLB License:		
City/State/Zip:	Phone	Date Signed:	